

RACCORDERIA MICROFUSA INOX - CF8M / AISI 316 - Pressione : 150 Lb				
Dimensioni secondo : ANSI B 16.3				
Curva 90° FF – 90° Elbows FF				
		Mis.	316	
	0001A01A	1/8"	1,60	
	0001A01B	1/4"	1,77	
	0001A01C	3/8"	2,78	
	0001A01D	1/2"	3,37	
	0001A01E	3/4"	4,90	
	0001A01F	1"	7,73	
	0001A01G	1"1/4	11,80	
	0001A01H	1"1/2	14,34	
	0001A01I	2"	22,01	
	0001A01L	2"1/2	33,37	
	0001A01M	3"	57,56	
	0001A01N	4"	86,35	
Curva 90° MF / Street elbows				
		Mis.	316	
	0001A04A	1/8"	1,63	
	0001A04B	1/4"	2,22	
	0001A04C	3/8"	2,63	
	0001A04D	1/2"	4,05	
	0001A04E	3/4"	5,11	
	0001A04F	1"	7,62	
	0001A04G	1"1/4	14,05	
	0001A04H	1"1/2	16,41	
	0001A04I	2"	26,70	
	0001A04L	2"1/2	47,18	
	0001A04M	3"	78,71	
	0001A04N	4"	86,09	
Curva 45° FF / 45° Elbows FF				
		Mis.	316	
	0001A05A	1/8"		
	0001A05B	1/4"		
	0001A05C	3/8"		
	0001A05D	1/2"	3,75	
	0001A05E	3/4"	4,84	
	0001A05F	1"	8,00	
	0001A05G	1"1/4	12,54	
	0001A05H	1"1/2	16,52	
	0001A05I	2"	23,66	
	0001A05L	2"1/2		
	0001A05M	3"		
	0001A05N	4"		
Raccordo a "T" FFF / Tee elbows FFF				
		Mis.	316	
	0001A02A	1/8"	2,10	
	0001A02B	1/4"	2,42	
	0001A02C	3/8"	3,28	
	0001A02D	1/2"	4,31	
	0001A02E	3/4"	6,49	
	0001A02F	1"	9,53	
	0001A02G	1"1/4	14,28	
	0001A02H	1"1/2	18,29	
	0001A02I	2"	28,03	
	0001A02L	2"1/2	46,44	
	0001A02M	3"	72,49	
	0001A02N	4"	134,08	

Croci FFFF / Cross FFFF				
		Mis.	316	
	0001A03A	1/8"		
	0001A03B	1/4"	4,37	
	0001A03C	3/8"	5,82	
	0001A03D	1/2"	5,96	
	0001A03E	3/4"	11,48	
	0001A03F	1"	15,82	
	0001A03G	1"1/4	23,90	
	0001A03H	1"1/2	30,83	
	0001A03I	2"	48,77	
	0001A03L	2"1/2	72,28	
	0001A03M	3"	95,50	
	0001A03N	4"		
Bocchettoni 3 pezzi, sede conica, FF - Conical union FF				
		Mis.	316	
	0001A06A	1/8"	6,64	
	0001A06B	1/4"	7,35	
	0001A06C	3/8"	8,50	
	0001A06D	1/2"	9,65	
	0001A06E	3/4"	13,52	
	0001A06F	1"	19,03	
	0001A06G	1"1/4	27,50	
	0001A06H	1"1/2	35,11	
	0001A06I	2"	50,51	
	0001A06L	2"1/2	54,58	
	0001A06M	3"	80,22	
	0001A06N	4"	131,78	
Bocchettone 3 pezzi, tenuta in PTFE, FF / Union T				
 		Mis.	316	
	0001A08A	1/8"	13,28	
	0001A08B	1/4"	14,18	
	0001A08C	3/8"	15,81	
	0001A08D	1/2"	17,27	
	0001A08E	3/4"	23,24	
	0001A08F	1"	31,40	
	0001A08G	1"1/4	43,45	
	0001A08H	1"1/2	53,01	
	0001A08I	2"	72,73	
	0001A08L	2"1/2	74,77	
	0001A08M	3"	104,28	
	0001A08N	4"	162,09	
Bocchettoni 3 pezzi, sede conica, a saldare SW/SW - Conical union SW/SW				
 		Mis.	316	
	0001A21A	1/8"	7,11	
	0001A21B	1/4"	7,11	
	0001A21C	3/8"	9,00	
	0001A21D	1/2"	10,98	
	0001A21E	3/4"	14,31	
	0001A21F	1"	19,83	
	0001A21G	1"1/4	28,44	
	0001A21H	1"1/2	35,94	
	0001A21I	2"	58,59	
	0001A21L	2"1/2	81,81	
	0001A21M	3"	96,00	
	0001A21N	4"	142,49	

Bocchettoni 3 pezzi, sede conica, a saldare SW/SW – Sede in PTFE

	Codice	Mis.	316
	0001A24A	1/8"	13,75
	0001A24B	1/4"	13,95
	0001A24C	3/8"	16,31
	0001A24D	1/2"	18,60
	0001A24E	3/4"	24,04
	0001A24F	1"	32,20
	0001A24G	1"1/4	44,39
	0001A24H	1"1/2	53,84
	0001A24I	2"	80,81
	0001A24L	2"1/2	102,00
	0001A24M	3"	120,06
	0001A24N	4"	172,80

Bocchettone 3 pezzi, sede conica, MF - Conical union MF

Accessories of pump and control unit		Accessories of pump and control unit	
	Codice	Mis.	316
	0001A07A	1/8"	9,21
	0001A07B	1/4"	7,56
	0001A07C	3/8"	9,27
	0001A07D	1/2"	9,27
	0001A07E	3/4"	13,78
	0001A07F	1"	18,59
	0001A07G	1"1/4	29,50
	0001A07H	1"1/2	33,63
	0001A07I	2"	52,84
	0001A07L	2"1/2	69,86
	0001A07M	3"	93,52
	0001A07N	4"	132,19

Bocchettone 3 pezzi, tenuta in PTFE, MF

	Codice	Mis.	316
	0001A20A	1/8"	15,85
	0001A20B	1/4"	14,39
	0001A20C	3/8"	16,57
	0001A20D	1/2"	16,89
	0001A20E	3/4"	23,51
	0001A20F	1"	30,96
	0001A20G	1"1/4	45,45
	0001A20H	1"1/2	51,54
	0001A20I	2"	75,06
	0001A20L	2"1/2	90,05
	0001A20M	3"	117,58
	0001A20N	4"	162,50

Bocchettone 90° 3 pezzi, tenuta conica, MF

	Codice	Mis.	316
	0001A24B	1/4"	10,01
	0001A24C	3/8"	11,21
	0001A24D	1/2"	12,96
	0001A24E	3/4"	15,70
	0001A24F	1"	23,81
	0001A24G	1"1/4	34,87
	0001A24H	1"1/2	45,91
	0001A24I	2"	63,52

Nipples (viti doppie) MM / Hex. Nipple				
		Mis.	316	
	0001A13A	1/8"	1,04	
	0001A13B	1/4"	1,33	
	0001A13C	3/8"	1,66	
	0001A13D	1/2"	2,54	
	0001A13E	3/4"	3,72	
	0001A13F	1"	5,49	
	0001A13G	1"1/4	7,32	
	0001A13H	1"1/2	9,53	
	0001A13I	2"	16,70	
	0001A13L	2"1/2	23,69	
	0001A13M	3"	34,96	
	0001A13N	4"	67,24	
Portagomma M / Hex. Hose nipple				
		Mis.	€ / 316	Ø mm
	0001A18A	1/8"	1,39	7,0
	0001A18B	1/4"	1,83	9,0
	0001A18C	3/8"	2,45	12,0
	0001A18D	1/2"	3,43	15,0
	0001A18E	3/4"	4,99	20,0
	0001A18F	1"	8,77	26,0
	0001A18G	1"1/4	10,06	34,0
	0001A18H	1"1/2	17,65	40,0
	0001A18I	2"	23,10	52,0
	0001A18L	2"1/2	29,33	63,0
	0001A18M	3"	59,45	71,0
	0001A18N	4"	89,51	100,0
Tappo M con esagono / Hex. Plug				
		Mis.	316	
	0001A10A	1/8"	1,04	
	0001A10B	1/4"	1,04	
	0001A10C	3/8"	1,16	
	0001A10D	1/2"	2,13	
	0001A10E	3/4"	3,25	
	0001A10F	1"	5,14	
	0001A10G	1"1/4	6,64	
	0001A10H	1"1/2	8,65	
	0001A10I	2"	12,04	
	0001A10L	2"1/2	18,18	
	0001A10M	3"	27,44	
	0001A10N	4"	47,06	

Nipples ridotto MM / Hex. Red. Bushings			
	Mis.	316	
0001A14B	1/4"-1/8"	1,39	
0001A14C	3/8"-1/4"	2,04	
0001A14CA	3/8"-1/8"	2,04	
0001A14D	1/2"-3/8"	2,39	
0001A14DB	1/2"-1/4"	2,39	
0001A14DA	1/2"-1/8"		
0001A14E	3/4"-1/2"	3,78	
0001A14EC	3/4"-3/8"	3,78	
0001A14EB	3/4"-1/4"	4,11	
0001A14F	1"-3/4"	7,65	
0001A14FD	1"-1/2"	6,02	
0001A14FC	1"-3/8"	6,02	
0001A14G	1"1/4-1"	8,97	
0001A14GE	1"1/4-3/4"	8,97	
0001A14GD	1"1/4-1/2"	8,97	
0001A14H	1"1/2-1"1/4	11,45	
0001A14HF	1"1/2-1"	10,89	
0001A14HE	1"1/2-3/4"	11,42	
0001A14HD	1"1/2-1/2"	11,42	
0001A14I	2"-1"1/2	18,47	
0001A14IG	2"-1"1/4	16,02	
0001A14IF	2"-1"	17,44	
0001A14IE	2"-3/4"	17,44	
0001A14ID	2"-1/2"	17,44	
0001A14L	2"1/2-2"	31,95	
0001A14LH	2"1/2-1"1/2	31,95	
0001A14LG	2"1/2-1"1/4	28,86	
0001A14LF	2"1/2-1"	31,95	
0001A14M	3"-2"1/2	44,40	
0001A14MI	3"-2"	44,40	
0001A14MH	3"-1"1/2		
0001A14N	4"-3"		
0001A14NL	4"-2"1/2		
0001A14NI	4"-2"		



Riduzione MF / Hex. Bushings				
		Mis.	316	
0001A11B	1/4"-1/8"	1,01		
0001A11C	3/8"-1/4"	1,45		
0001A11CA	3/8"-1/8"	1,45		
0001A11DA	1/2"-1/8"	2,10		
0001A11DB	1/2"-1/4"	2,10		
0001A11D	1/2"-3/8"	1,95		
0001A11EB	3/4"-1/4"	3,31		
0001A11EC	3/4"-3/8"	3,40		
0001A11E	3/4"-1/2"	2,90		
0001A11FC	1"-3/8"	4,84		
0001A11FD	1"-1/2"	4,84		
0001A11F	1"-3/4"	4,58		
0001A11GD	1"1/4-1/2"	7,56		
0001A11GE	1"1/4-3/4"	7,56		
0001A11G	1"1/4-1"	7,94		
0001A11HD	1"1/2-1/2"	9,89		
0001A11HE	1"1/2-3/4"	9,89		
0001A11HF	1"1/2-1"	9,89		
0001A11H	1"1/2-1"1/4	7,50		
0001A11IF	2"-1"	18,03		
0001A11IG	2"-1"1/4	18,03		
0001A11I	2"-1"1/2	18,03		
0001A11LF	2"1/2-1"	23,01		
0001A11LG	2"1/2-1"1/4	20,33		
0001A11LH	2"1/2-1"1/2	24,52		
0001A11L	2"1/2-2"	21,57		
0001A11MH	3"-1"1/2	25,32		
0001A11MI	3"-2"	30,74		
0001A11M	3"-2"1/2	29,09		
0001A11I	4"-2"	54,49		
0001A11L	4"-2"1/2	54,49		
0001A11N	4"-3"	47,94		
Tappo F con esagono/ Hex. Head caps				
		Mis.	316	
0001A15A	1/8"	1,07		
0001A15B	1/4"	1,42		
0001A15C	3/8"	1,51		
0001A15D	1/2"	2,72		
0001A15E	3/4"	3,60		
0001A15F	1"	5,52		
0001A15G	1"1/4	8,50		
0001A15H	1"1/2	9,56		
0001A15I	2"	17,59		
0001A15L	2"1/2	27,82		
0001A15M	3"	44,08		
0001A15N	4"	64,96		

Manicotto ridotto FF / Red. Coupling				
		Mis.	316	
	0001A16B	1/4"-1/8"	3,37	
	0001A16CA	3/8"-1/8"	4,05	
	0001A16C	3/8"-1/4"	3,87	
	0001A16DA	1/2"-1/8"	4,37	
	0001A16DB	1/2"-1/4"	5,49	
	0001A16D	1/2"-3/8"	5,14	
	0001A16EB	3/4"-1/4"	6,20	
	0001A16EC	3/4"-3/8"	7,11	
	0001A16E	3/4"-1/2"	7,11	
	0001A16FC	1"-3/8"		
	0001A16FD	1"-1/2"	9,98	
	0001A16F	1"-3/4"	9,50	
	0001A16GD	1"1/4-1/2"	14,55	
	0001A16GE	1"1/4-3/4"	14,55	
	0001A16G	1"1/4-1"	14,55	
		1"1/2-1/2"	17,68	
	0001A16HE	1"1/2-3/4"	19,42	
	0001A16HF	1"1/2-1"	18,83	
	0001A16H	1"1/2-1"1/4"	19,42	
	0001A16IF	2"-1"	27,59	
	0001A16IG	2"-1"1/4"	27,59	
	0001A16I	2"-1"1/2"	27,59	
	0001A16LH	2"1/2-1"1/2"	49,27	
	0001A16L	2"1/2-2"	49,27	
	0001A16MI	3"-1"1/2"	71,42	
		3"-2"	71,42	
		3"-2"1/2"	71,42	
	0001A16N	4"-3"		
Prolunga Ridotta F/M				
		Mis.	316	
	0001A22B	1/4"-1/8"	10,76	
	0001A22C	3/8"-1/4"	12,86	
	0001A22D	1/2"-3/8"	22,77	
	0001A22E	3/4"-1/2"	22,96	
	0001A22F	1"-3/4"	31,04	
	0001A22G	1"1/4-1"	38,49	
	0001A22H	1"1/2-1"1/4"	53,13	
	0001A22I	2"-1"1/2"	60,28	
Prolunga M/F				
		Mis.	316	
	0001A23B	1/4"	9,78	
	0001A23C	3/8"	12,14	
	0001A23D	1/2"	20,70	
	0001A23E	3/4"	21,24	
	0001A23F	1"	28,80	
	0001A23G	1"1/4"	35,64	
	0001A23H	1"1/2"	49,23	
	0001A23I	2"	55,82	

Ghiera filetto GAS				
		Mis.	316	
		1/8"	1,30	
		1/4"	1,72	
		3/8"	2,01	
		1/2"	2,87	
		3/4"	3,69	
		1"	3,84	
		1"1/4	5,17	
		1"1/2	7,17	
		2"	10,01	
		2"1/2	14,34	
		3"	17,00	
		4"	27,41	
Manicotto FF – Socket plain				
		Mis.	316	L
	0001A17A	1/8"	1,63	17
	0001A17B	1/4"	2,01	25
	0001A17C	3/8"	2,13	26
	0001A17D	1/2"	2,95	34
	0001A17E	3/4"	4,43	36
	0001A17F	1"	6,61	43
	0001A17G	1"1/4	9,21	48
	0001A17H	1"1/2	10,60	48
	0001A17I	2"	14,43	56
	0001A17L	2"1/2	23,90	65
	0001A17M	3"	30,83	71
	0001A17J	3"1/2		
	0001A17N	4"	53,81	83
	0001A17O	5"		
	0001A17P	6"		
		Mis.	304	
	0001C17A	1/8"	1,36	17
	0001C17B	1/4"	1,75	25
	0001C17C	3/8"	2,04	26
	0001C17D	1/2"	2,78	34
	0001C17E	3/4"	3,40	36
	0001C17F	1"	5,02	43
	0001C17G	1"1/4	6,61	48
	0001C17H	1"1/2	8,09	48
	0001C17I	2"	11,19	56
	0001C17L	2"1/2	18,24	65
	0001C17M	3"	24,52	71
	0001C17J	3"1/2		
	0001C17N	4"	41,01	83
	0001C17O	5"		
	0001C17P	6"		

Tronchetti con filetto GAS conico / Welding nipple – SCH40				
		Mis.	316	L
	0001A19A	1/8"	1,16	30,00
	0001A19B	1/4"	1,16	30,00
	0001A19C	3/8"	1,33	30,00
	0001A19D	1/2"	1,77	35,00
	0001A19E	3/4"	2,54	40,00
	0001A19F	1"	3,37	40,00
	0001A19G	1"1/4	5,29	50,00
	0001A19H	1"1/2	6,20	50,00
	0001A19I	2"	8,12	50,00
	0001A19L	2"1/2	15,85	60,00
	0001A19M	3"	22,54	70,00
	0001A19N	4"	34,93	80,00
		Mis.	304	
	0001C19A	1/8"	1,04	
	0001C19B	1/4"	0,98	
	0001C19C	3/8"	1,13	
	0001C19D	1/2"	1,39	
	0001C19E	3/4"	1,92	
	0001C19F	1"	2,54	
	0001C19G	1"1/4	3,87	
	0001C19H	1"1/2	4,58	
	0001C19I	2"	5,93	
	0001C19L	2"1/2	11,51	
	0001C19M	3"	16,20	
	0001C19N	4"	24,67	
Tronchetti da tubo EU con filetto GAS cilindrico / Welding nipple				
		Mis.	316	
	0001A12A	1/8"		
	0001A12B	1/4"		
	0001A12C	3/8"		
	0001A12D	1/2"		
	0001A12E	3/4"		
	0001A12F	1"		
	0001A12G	1"1/4		
	0001A12H	1"1/2		
	0001A12I	2"		
	0001A12L	2"1/2		
	0001A12M	3"		
	0001A12N	4"		
		Mis.	304	
	0001C12A	1/8"		
	0001C12B	1/4"		
	0001C12C	3/8"		
	0001C12D	1/2"		
	0001C12E	3/4"		
	0001C12F	1"		
	0001C12G	1"1/4		
	0001C12H	1"1/2		
	0001C12I	2"		
	0001C12L	2"1/2		
	0001C12M	3"		
	0001C12N	4"		

Tronchetto doppio. Barilotto. - Filetto GAS conico					
		Mis.	316	L	
	0001A31A	1/8"	2,50		
	0001A31B	1/4"	3,31		
	0001A31C	3/8"	3,56		
	0001A31D	1/2"	5,52		
	0001A31E	3/4"	6,85		
	0001A31F	1"	9,59		
	0001A31G	1"1/4	15,40		
	0001A31H	1"1/2	18,34		
	0001A31I	2"	29,09		
	0001A31L	2"1/2	47,23		
	0001A31M	3"	73,96		
	0001A31N	4"	130,28		
Tronchetto doppio. Barilotto. Filetto GAS conico					
		Mis.	316	L	
	0001A32A	1/8"		100	
	0001A32B	1/4"		100	
	0001A32C	3/8"		100	
	0001A32D	1/2"		100	
	0001A32E	3/4"		100	
	0001A32F	1"		100	
	0001A32G	1"1/4		100	
	0001A32H	1"1/2		100	
	0001A32I	2"		100	
	0001A32L	2"1/2		100	
	0001A32M	3"		100	
	0001A32N	4"		100	

Nipplo semplice tutto filetto – GAS					
		Mis.	304	L	
	0001C32A	1/8"			
	0001C32B	1/4"			
	0001C32C	3/8"			
	0001C32D	1/2"		25	
	0001C32E	3/4"	7,45	30	
	0001C32F	1"	18,29	35	
	0001C32G	1"1/4	10,50	38	
	0001C32H	1"1/2		38	
	0001C32I	2"		45	
	0001C32L	2"1/2			
	0001C32M	3"			
	0001C32N	4"			
RACCORDERIA INOX - ricavata da massello UNI228-1 AISI 316 e AISI 304					
Filetto GAS cilindrico					
Nipples MM / Hex. Nipple					
		Mis.	316	L mm	
	0011A13A	1/8"	4,94	28	
	0011A13B	1/4"	5,20	30	
	0011A13C	3/8"	6,24	34	
	0011A13D	1/2"	8,58	38	
	0011A13E	3/4"	12,48	43	
	0011A13F	1"	18,72	46	
	0011A13G	1"1/4	31,20	50	
	0011A13H	1"1/2	40,30	58	
	0011A13I	2"	70,20	60	
	0011A13L	2"1/2	85,80	70	
	0011A13M	3"	127,40	80	
	0011A13N	4"	260,00	90	
Nipples ridotti mm / Hex. Red. Bushings					
		Mis.	316	L mm	
	0011A14B	1/4"-1/8"	7,36	29	
	0011A14C	3/8"-1/4"	8,84	33	
	0011A14CA	3/8"-1/8"	8,84	33	
	0011A14D	1/2"-3/8"	12,48	36	
	0011A14DB	1/2"-1/4"	12,48	36	
	0011A14E	3/4"-1/2"	18,98	42	
	0011A14EC	3/4"-3/8"	18,98	42	
	0011A14F	1"-3/4"	27,56	45	
	0011A14FD	1"-1/2"	27,56	45	
	0011A14G	1"1/4-1"	44,20	49	
	0011A14GE	1"1/4-3/4"	44,20	49	
	0011A14H	1"1/2-1"1/4	55,90	54	
	0011A14HF	1"1/2-1"	55,90	54	
	0011A14I	2"-1"1/2	96,20	59	
	0011A14IG	2"-1"1/4	96,20	59	