



Flange UNI EN 1092-1 PN 6 (ex UNI 2276-67)

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2276A015	15	9,25	80	22	12	4	11	55
	2276A020	20	13,98	90	28	14	4	11	65
	2276A025	25	17,04	100	34	14	4	11	75
	2276A032	32	22,10	120	43	16	4	14	90
	2276A040	40	25,89	130	49	16	4	14	100
	2276A050	50	28,41	140	61	16	4	14	110
	2276A065	65	35,36	160	77	16	4	14	130
	2276A080	80	55,36	190	90	18	4	18	150
	2276A100	100	61,47	210	115	18	4	18	170
	2276A125	125	82,09	240	141	20	8	18	200
	2276A150	150	100,60	265	170	20	8	18	225
	2276A200	200	145,44	320	221	22	8	18	280
	2276A250	250	218,51	375	275	24	12	18	335
	2276A300	300	292,48	440	326	24	12	22	395
	2276A350	350	410,91	490	358	26	12	22	445
	2276A400	400	485,85	540	409	28	16	22	495
	2276A450	450	623,62	595	460	30	16	22	550
	2276A500	500	725,14	645	510	30	20	22	600
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2276C015	15	5,55	80	22	12	4	11	55
	2276C020	20	8,53	90	28	14	4	11	65
	2276C025	25	10,42	100	34	14	4	11	75
	2276C032	32	17,08	120	43	16	4	14	90
	2276C040	40	20,01	130	49	16	4	14	100
	2276C050	50	21,92	140	61	16	4	14	110
	2276C065	65	27,33	160	77	16	4	14	130
	2276C080	80	42,78	190	90	18	4	18	150
	2276C100	100	47,51	210	115	18	4	18	170
	2276C125	125	63,43	240	141	20	8	18	200
	2276C150	150	69,97	265	170	20	8	18	225
	2276C200	200	101,14	320	221	22	8	18	280
	2276C250	250	14,34	375	275	24	12	18	335
	2276C300	300	185,15	440	326	24	12	22	395
	2276C350	350	260,13	490	358	26	12	22	445
	2276C400	400	307,56	540	409	28	16	22	495
	2276C450	450	394,79	595	460	30	16	22	550
	2276C500	500	459,05	645	510	30	20	22	600

Flange UNI EN 1092-1 PN 10 (ex UNI 2277-67)

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2277A015	15	15,20	95	22	14	4	14	65
	2277A020	20	18,89	105	28	16	4	14	75
	2277A025	25	23,25	115	34	16	4	14	85
	2277A032	32	34,31	140	43	18	4	18	100
	2277A040	40	38,94	150	49	18	4	18	110
	2277A050	50	51,79	165	61	19	4	18	125
	2277A065	65	63,14	185	77	20	8	18	145
	2277A080	80	75,98	200	90	20	8	18	160
	2277A100	100	92,61	220	115	22	8	18	180
	2277A125	125	124,60	250	141	22	8	18	210
	2277A150	150	150,91	285	170	24	8	22	240
	2277A200	200	212,57	340	221	24	8	22	295
	2277A250	250	311,81	395	275	26	12	22	350
	2277A300	300	357,74	445	326	26	12	22	400
	2277A350	350	531,77	505	358	28	16	22	460
	2277A400	400	676,80	565	409	32	16	26	515
	2277A450	450	804,90	615	460	36	20	26	565
	2277A500	500	974,11	670	510	38	20	26	620
	2277A600	600		780	613	42	20	30	725
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2277C015	15	10,60	95	22	14	4	14	65
	2277C020	20	13,16	105	28	16	4	14	75
	2277C025	25	15,53	115	34	16	4	14	85
	2277C032	32	24,81	140	43	18	4	18	100
	2277C040	40	29,30	150	49	18	4	18	110
	2277C050	50	37,48	165	61	19	4	18	125
	2277C065	65	43,91	185	77	20	8	18	145
	2277C080	80	52,85	200	90	20	8	18	160
	2277C100	100	64,40	220	115	22	8	18	180
	2277C125	125	86,66	250	141	22	8	18	210
	2277C150	150	104,95	285	170	24	8	22	240
	2277C200	200	147,83	340	221	24	8	22	295
	2277C250	250	197,40	395	275	26	12	22	350
	2277C300	300	226,47	445	326	26	12	22	400
	2277C350	350	336,64	505	358	28	16	22	460
	2277C400	400	428,45	565	409	32	16	26	515
	2277C450	450	509,55	615	460	36	20	26	565
	2277C500	500	616,66	670	510	38	20	26	620
	2277C600	600	1.198,22	780	613	42	20	30	725



Flange libere cartellare UNI 6089 PN10

	Code	DN	ALLUMINIO	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6089L010	10							
	6089L015	15							
	6089L020	20							
	6089L025	25							
	6089L032	32							
	6089L040	40							
	6089L050	50							
	6089L065	65							
	6089L080	80							
	6089L100	100							
	6089L125	125							
	6089L150	150							
	6089L200	200							
	6089L250	250							
	6089L300	300							
	6089L350	350							
	6089L400	400							
	6089L450	450							

Flange libere cartellare UNI 6090 PN16


	Code	DN	AISI 316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6090A015	15	15,20						
	6090A020	20	18,89						
	6090A025	25	23,25						
	6090A032	32	34,31						
	6090A040	40	38,94						
	6090A050	50	51,79						
	6090A065	65	63,14						
	6090A080	80	75,98						
	6090A100	100	92,61						
	6090A125	125	124,60						
	6090A150	150	150,91						
	6090A200	200	205,63						
	6090A250	250	386,74						
	6090A300	300	466,50						
	Code	DN	AISI 304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6090A015	15	11,77						
	6090A020	20	14,64						
	6090A025	25	18,04						
	6090A032	32	27,74						
	6090A040	40	30,11						
	6090A050	50	40,01						
	6090A065	65	48,78						
	6090A080	80	58,73						
	6090A100	100	71,57						
	6090A125	125	96,29						
	6090A150	150	116,61						
	6090A200	200	158,90						
	6090A250	250	272,06						
	6090A300	300	328,18						

Flange piane UNI EN 1092-1 PN 16 (ex UNI 2278-67)

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2278A015	15	15,20	95	22	14	4	14	65
	2278A020	20	18,89	105	28	16	4	14	75
	2278A025	25	23,25	115	34	16	4	14	85
	2278A032	32	34,31	140	43	18	4	18	100
	2278A040	40	38,94	150	49	18	4	18	110
	2278A050	50	51,79	165	61	19	4	18	125
	2278A065	65	63,14	185	77	20	4/8	18	145
	2278A080	80	75,98	200	90	20	4	18	160
	2278A100	100	92,61	220	115	22	4	18	180
	2278A125	125	124,60	250	141	22	8	18	210
	2278A150	150	150,91	285	170	24	8	22	240
	2278A200	200	206,39	340	221	26	12	22	295
	2278A250	250	386,74	405	275	29	12	26	355
	2278A300	300	466,50	460	326	32	12	26	410
	2278A350	350	710,64	520	358	35	16	26	470
	2278A400	400	882,26	580	409	38	16	30	525
	2278A450	450	1.015,19	640	460	42	20	30	585
	2278A500	500	1.427,00	715	510	46	20	33	650
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	2278C015	15	10,02	95	22	14	4	14	65
	2278C020	20	12,43	105	28	16	4	14	75
	2278C025	25	15,53	115	34	16	4	14	85
	2278C032	32	23,45	140	43	18	4	18	100
	2278C040	40	27,69	150	49	18	4	18	110
	2278C050	50	35,42	165	61	19	4	18	125
	2278C065	65	43,90	185	77	20	4/8	18	145
	2278C080	80	52,85	200	90	20	4	18	160
	2278C100	100	64,40	220	115	22	4	18	180
	2278C125	125	86,66	250	141	22	8	18	210
	2278C150	150	104,95	285	170	24	8	22	240
	2278C200	200	143,01	340	221	26	12	22	295
	2278C250	250	269,31	405	275	29	12	26	355
	2278C300	300	295,33	460	326	32	12	26	410
	2278C350	350	449,87	520	358	35	16	26	470
	2278C400	400	558,51	580	409	38	16	30	525
	2278C450	450	642,67	640	460	42	20	30	585
	2278C500	500	902,79	715	510	46	20	33	650



Flange piane UNI EN 1092-1 PN 40 (ex UNI 6084-67) - PED - Forgiate

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6084A015	15	18,63	95	22	14	4	14	65
	6084A020	20	26,14	105	28	16	4	14	75
	6084A025	25	28,47	115	34	16	4	14	85
	6084A032	32	46,94	140	43	18	4	18	100
	6084A040	40	53,60	150	49	18	4	18	110
	6084A050	50	70,02	165	61	20	4	18	125
	6084A065	65	97,46	185	77	24	8	18	145
	6084A080	80	120,55	200	90	26	8	18	160
	6084A100	100	156,20	235	115	26	8	22	190
	6084A125	125	210,83	270	141	28	8	25	220
	6084A150	150	264,17	300	170	30	8	25	250
	6084A200	200	420,29	375	221	36	12	30	320
	6084A250	250							
	6084A300	300							
	6084A350	350							
	6084A400	400							
	6084A450	450							
	6084A500	500							
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6084C015	15	14,35	95	22	14	4	14	65
	6084C020	20	20,13	105	28	16	4	14	75
	6084C025	25	24,42	115	34	16	4	14	85
	6084C032	32	36,19	140	43	18	4	18	100
	6084C040	40	41,52	150	49	18	4	18	110
	6084C050	50	53,98	165	61	20	4	18	125
	6084C065	65	75,15	185	77	24	8	18	145
	6084C080	80	92,95	200	90	26	8	18	160
	6084C100	100	120,04	235	115	26	8	22	190
	6084C125	125	161,97	270	141	28	8	25	220
	6084C150	150	203,70	300	170	30	8	25	250
	6084C200	200	354,27	375	221	36	12	30	320
	6084C250	250							
	6084C300	300							
	6084C350	350							
	6084C400	400							
	6084C450	450							
	6084C500	500							


Flange UNI EN 1092-1 PN 10 (ex UNI 6092-67) - PED - Forgiate

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6092A015	15	21,54						
	6092A020	20	29,94						
	6092A025	25	36,51						
	6092A032	32	50,18						
	6092A040	40	58,09						
	6092A050	50	70,95						
	6092A065	65	90,48						
	6092A080	80	113,96						
	6092A100	100	139,67						
	6092A125	125	200,98						
	6092A150	150	259,58						
	6092A200	200	407,90						
	6092A250	250	595,78						
	6092A300	300	761,42						
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6092C015	15	11,35						
	6092C020	20	16,10						
	6092C025	25	19,28						
	6092C032	32	28,52						
	6092C040	40	34,05						
	6092C050	50	46,19						
	6092C065	65	58,60						
	6092C080	80	73,90						
	6092C100	100	90,00						
	6092C125	125	130,65						
	6092C150	150	161,53						
	6092C200	200	260,76						
	6092C250	250	385,34						
	6092C300	300	493,54						
	6092C350	350	694,93						
	6092C400	400	877,43						

Flange UNI EN 1092-1 PN 16 (ex UNI 6093-67) - PED - Forgiate

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6093A015	15	22,97						
	6093A020	20	31,94						
	6093A025	25	38,94						
	6093A032	32	53,53						
	6093A040	40	61,97						
	6093A050	50	75,68						
	6093A065	65	96,52						
	6093A080	80	121,55						
	6093A100	100	148,98						
	6093A125	125	214,38						
	6093A150	150	276,88						
	6093A200	200	435,10						
	6093A250	250	661,87						
	6093A300	300							
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	6093C015	15	10,73						
	6093C020	20	15,22						
	6093C025	25	18,23						
	6093C032	32	26,96						
	6093C040	40	32,18						
	6093C050	50	43,66						
	6093C065	65	55,37						
	6093C080	80	69,84						
	6093C100	100	85,06						
	6093C125	125	123,46						
	6093C150	150	152,63						
	6093C200	200	246,43						
	6093C250	250	437,02						
	6093C300	300	701,88						
	6093C350	350							
	6093C400	400							

Flange ANSI150 SLIP-ON - PED - Forgiate

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	A1SOA015	1/2"	14,68						
	A1SOA020	3/4"	20,54						
	A1SOA025	1"	23,48						
	A1SOA032	1"1/4	28,21						
	A1SOA040	1"1/2	35,91						
	A1SOA050	2"	56,42						
	A1SOA065	2"1/2	89,76						
	A1SOA080	3"	97,46						
	A1SOA100	4"	143,63						
	A1SOA125	5"	166,72						
	A1SOA150	6"	207,75						
	A1SOA200	8"	333,43						
	A1SOA250	10"	540,16						
	A1SOA300	12"	836,66						
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	A1SOC015	1/2"	14,84						
	A1SOC020	3/4"	20,76						
	A1SOC025	1"	23,73						
	A1SOC032	1"1/4	23,12						
	A1SOC040	1"1/2	29,44						
	A1SOC050	2"	46,26						
	A1SOC065	2"1/2	73,59						
	A1SOC080	3"	79,91						
	A1SOC100	4"	117,76						
	A1SOC125	5"	136,69						
	A1SOC150	6"	170,33						
	A1SOC200	8"	273,37						
	A1SOC250	10"	424,54						
	A1SOC300	12"	657,59						

Flange ANSI150 BLIND - PED - Forgiate

	Code	DN	316	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	Code	DN	304	Ø est.	Ø int.	h	N°Fori	Ø Fori	Ø Interasse fori
	A1BLA015	1/2"	13,91						
	A1BLA020	3/4"	22,25						
	A1BLA025	1"	22,25						
	A1BLA032	1"1/4	32,14						
	A1BLA040	1"1/2	39,55						
	A1BLA050	2"	64,27						
	A1BLA065	2"1/2	101,36						
	A1BLA080	3"	126,08						
	A1BLA100	4"	185,41						
	A1BLA125	5"	227,43						
	A1BLA150	6"	291,71						
	A1BLA200	8"	504,31						
	A1BLA250	10"							
	A1BLA300	12"							
	A1BLC015	1/2"	11,13						
	A1BLC020	3/4"	18,45						
	A1BLC025	1"	20,76						
	A1BLC032	1"1/4	26,57						
	A1BLC040	1"1/2	32,69						
	A1BLC050	2"	53,14						
	A1BLC065	2"1/2	83,78						
	A1BLC080	3"	104,23						
	A1BLC100	4"	153,28						
	A1BLC125	5"	188,01						
	A1BLC150	6"	241,14						
	A1BLC200	8"	416,89						
	A1BLC250	10"							
	A1BLC300	12"							